




REPLACING **HITACHI**


ALTERNADOR ROTORES



REF.ORIGINAL
L150-41009

FYRECO
866487


L:181 D:94'4 L.ESTRIADO: 26 N°ESTRIAS: 16 12V. 50 A.



REF.ORIGINAL
L170-71002

FYRECO
866487-1


L:181 D:94'4 L.ESTRIADO: 29 N°ESTRIAS: 8 12V. 70 A.



REF.ORIGINAL
L235-21007

FYRECO
866487-4


L:191 D: 103 L.ESTRIADO: 26 N°ESTRIAS: 16 24V. 35 A.



REF.ORIGINAL
L160-31007

FYRECO
866487-6


L:191 D: 103 L.ESTRIADO: 26 N°ESTRIAS: 16 12V. 70 A.



REF.ORIGINAL

FYRECO
866487-7

L:201 D:94'4 L.ESTRIADO: 43 N°ESTRIAS: 8 12V.



REF.ORIGINAL
L170-71001


FYRECO
866487-2

L:181 D:94'4 L.ESTRIADO: 26 N°ESTRIAS: 16 12V. 70 A.





REPLACING **HITACHI**



REF.ORIGINAL

L170-51001

L:191 D: 103 L.ESTRIADO: 26 N°ESTRIAS: 8 12V. 70 A.

FYRECO


866487-3






ESTADORES


REPLACING **HITACHI**




<u>REF.ORIGINAL</u>	<u>FYRECO</u>
L170-12001	7545
D.INT:104 D.EXT:135 ANCHO: 27	12V.




<u>REF.ORIGINAL</u>	<u>FYRECO</u>
L150-82002	7545-1
D.INT:94'8 D.EXT:124 ANCHO: 22'8	12V. 40 A.




<u>REF.ORIGINAL</u>	<u>FYRECO</u>
L235-22001	7545-2
D.INT:104 D.EXT:135 ANCHO: 27	24V.



<u>REF.ORIGINAL</u>	<u>FYRECO</u>
L225-82001	7545-3
D.INT: 94'8 D.EXT:124 ANCHO:22'8	24V. 25 A.



<u>REF.ORIGINAL</u>	<u>FYRECO</u>
L170-22001	7545-4
D.INT: 104 D.EXT:135 ANCHO: 27	12V. 70 A.




<u>REF.ORIGINAL</u>	<u>FYRECO</u>
L170-72001	7545-6
D.INT: 94'8 D.EXT:124 ANCHO: 23	12V.






REPLACING **HITACHI**



REF.ORIGINAL FYRECO
L170G-6200,9200. **7545-8**
D.INT: 98'5 D.EXT: 126 ANCHO: 22 12V.
PARA ALTERNADORES: LR170-505B.




REF.ORIGINAL FYRECO
L140-72002 **7545-9**
D.INT: 81 D.EXT: 107 ANCHO: 26'5 12V.
PARA ALTERNADORES: LR140-714B





REPLACING **HITACHI**

REGULADORES




REF.ORIGINAL FYRECO
L150-33155 RHI-252


ISUZU 8-94167-410-0

PARA ALTERNADORES: LR150-421C,432,34B,
8B,9B,44B,415,LR155-416,8B,9B,LR160-419,32B,
3B,3E,4B,5E,43,4,6.

Distancia entre centros de taladros 50 mm. 12V.




REF.ORIGINAL FYRECO
RHI-252+Terminal RHI-254
Cuentarevoluciones (4 Terminales)
12V.



REF.ORIGINAL FYRECO
TR1Z-43,53,62,64. RPHI-43

PARA ALTERNADORES: LR140-130B,P,131,
1B,8,LR150-133,B,C,E,146,B,155B,205,B,402,C,
403,36,55B,LR155-12C,16,B,LR160-67H,92C,96B,
96C.

Distancia entre centros de taladro 50 mm. 12V.



REF.ORIGINAL FYRECO
TR2Z-37,49. RPHI-37

PARA ALTERNADORES: LR225-65P,7P,
8B,80B,403,7,8,9,10,12T,13T,14T,LR235-402.


Distancia entre centros de taladro 50 mm. 24V.






REPLACING **HITACHI**

PLACAS DE DIODOS



REF.ORIGINAL **FYRECO**
L160-23202,43202. **PHI-3202**
PARA ALTERNADORES: LR160-422B,LR170-402,
404,406B,420B,502Q.
DIAMETRO EXT. 118 mm.



REF.ORIGINAL **FYRECO**
L160-4320. **PHI-4320**
PARA ALTERNADORES: LR140-130P,402,8,15,
LR150-139P,401C,2C,3,21C,3,5B,31,LR155-16P,408,
LR160-401,C,LR225-65P,7P,402,3,10,LR235-402.
DIAMETRO EXT. 111 mm.

